

Compact CWDM Mux/Demux Module C-CWDM

Santec's C-CWDM module has been specifically designed for low cost CWDM systems where both the size and the insertion loss are critical. Low loss is achieved using Santec dielectric thin-film coating technology in a package about one tenth the size of a conventional 8 channel mux/demux module. Optical performance is excellent with high isolation between channels and low PDL as standard. Santec's C-CWDM meets both the price and performance requirements of today's metro and access networks.

Features


- ▶ Small package
- ▶ Low insertion loss
- ▶ High isolation
- ▶ Excellent temperature stability
- ▶ Excellent environmental durability
- ▶ Telcordia GR-1221 qualified
- ▶ RoHS compliant

Applications


- ▶ CATV
- ▶ Metro networks
- ▶ FTTH/FTTP




Dimensions



Network Implementation



■ Typical Spectrum



■ Specifications

No.	Parameter	Min	Max	Unit	Notes
1	Channel Spacing	20		nm	
2	Center Wavelength	1471, 1491, 1511, 1531 1551, 1571, 1591, 1611		nm	
3	Passband	13	-	nm	
4	Insertion Loss (Mux)	-	1.5	dB	In passband
5	Insertion Loss (Demux)	-	1.5	dB	In passband
6	Mux / Demux Link Loss	-	2.5(Typ.2.0)	dB	In passband
7	Adjacent Isolation	30	-	dB	
8	Non-Adjacent Isolation	50	-	dB	
9	PDL	-	0.2	dB	In passband
10	Directivity	-	50	dB	
11	Operating Temperature	0	70	°C	Non-condensing
12	Storage Temperature	-40	85	°C	Non-condensing
13	Fiber Length	1.05 ± 0.05		m	
14	Fiber Type	900µm SMF-28		-	
15	Package Dimensions	29 x 55 x 8		mm	

■ Ordering Code

C-CWDM-A-B-10-D/E

- A: Number of Channel : **08**: 8 channels
- B: Mux or Demux : **M**: Mux **D**: Demux
- D: Connector Type : **00**: None **FS**: FC-SPC **FA**: FC-APC **SS**: SC-SPC
SA: SC-APC **LC**: LC-SPC **MU**: MU-SPC **MJ**: MUJ-SPC
- E: Shortest Wavelength: **1471**: 1471.00nm

www.santec.com E-Mail : sales@santec.com

2014 © SANTEC CORPORATION Santec reserves the right to make changes in equipment design, components or specifications without notice.



SANTEC CORPORATION
5823 Ohkusa-Nenjoyozaka, Komaki, Aichi 485-0802, Japan Tel. +81-568-79-1959 Fax +81-568-79-1718

SANTEC U.S.A. CORPORATION
433 Hackensack Ave., Hackensack, NJ, 07601, U.S.A. Toll Free +1-800-726-8321 (santec-1) Tel. +1-201-488-5505 Fax +1-201-488-7702

SANTEC EUROPE LIMITED
1 Lyric Square, London, W6 0NB, U.K. Tel. +44 (0)20 3542 7851

SANTEC (SHANGHAI) Co., Ltd.
No.800 Zhangyang Road Changhang Tower, Pudong District, Shanghai 200122 China Tel: +86-21-58361261, +86-21-58361262 Fax: +86-21-58361263